

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| | | | |
|---|--|--|---|
| (51) International Patent Classification ⁶ : C12Q 1/68, A61K 31/52, C12Q 1/48 // C07D 473/00 | | A1 | (11) International Publication Number: WO 99/34018 |
| | | | (43) International Publication Date: 8 July 1999 (08.07.99) |
| (21) International Application Number: PCT/US98/27405 | | Flora Vista #603, Santa Clara, CA 95051 (US). MEIJER, Laurent [FR/FR]; 16, rue Bir-Hakeim, F-29680 Roscoff (FR). LOCKHART, David, J. [US/US]; 610 Mountain View Avenue, Mountain View, CA 94041 (US). (74) Agents: FARIS, Susan, K. et al.; Townsend and Townsend and Crew LLP, 8th floor, Two Embarcadero Center, San Francisco, CA 94111-3834 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). | |
| (22) International Filing Date: 23 December 1998 (23.12.98) | | | |
| (30) Priority Data: 60/068,798 24 December 1997 (24.12.97) US | | | |
| (63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 60/068,798 (CIP) Filed on 24 December 1997 (24.12.97) | | | |
| (71) Applicants (for all designated States except US): THE REGENTS OF THE UNIVERSITY OF CALIFORNIA [US/US]; 22nd floor, 300 Lakeside Drive, Oakland, CA 94612-3550 (US). AFFYMETRIX [US/US]; 3380 Central Expressway, Santa Clara, CA 95051 (US). CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE [FR/FR]; 3, rue Michel Ange, F-75794 Paris Cedex 16 (FR). | | | |
| (72) Inventors; and (75) Inventors/Applicants (for US only): GRAY, Nathanael, S. [US/US]; 1429 LeRoy Avenue, Berkeley, CA 94708 (US). SCHULTZ, Peter [US/US]; 4616 Rising Hill Court, Oakland, CA 94619 (US). WODICKA, Lisa [US/US]; 3770 | | Published With international search report. | |
| (54) Title: METHODS OF USING CHEMICAL LIBRARIES TO SEARCH FOR NEW KINASE INHIBITORS | | | |
| (57) Abstract | | | |
| <p>The generation of selective inhibitors for specific protein kinases would provide new tools for analyzing signal transduction pathways and possibly new therapeutic agents. We have invented an approach to the development of selective protein kinase inhibitors based on the unexpected binding mode of 2,6,9-trisubstituted purines to the ATP binding site of human CDK2. The most potent inhibitor, purvalanol B (IC₅₀ = 6 nM), binds with a 30-fold greater affinity than the known CDK2 inhibitor, flavopiridol. The cellular effects of this class of compounds were examined and compared to those of flavopiridol by monitoring changes in mRNA expression levels for all genes in treated cells of <i>Saccharomyces cerevisiae</i> using high-density oligonucleotide probe arrays.</p> | | | |

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.


| | | | | | | | |
|----|--------------------------|----|--|----|--|----|--------------------------|
| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia |
| AM | Armenia | FI | Finland | LT | Lithuania | SK | Slovakia |
| AT | Austria | FR | France | LU | Luxembourg | SN | Senegal |
| AU | Australia | GA | Gabon | LV | Latvia | SZ | Swaziland |
| AZ | Azerbaijan | GB | United Kingdom | MC | Monaco | TD | Chad |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Togo |
| BB | Barbados | GH | Ghana | MG | Madagascar | TJ | Tajikistan |
| BE | Belgium | GN | Guinea | MK | The former Yugoslav Republic of Macedonia | TM | Turkmenistan |
| BF | Burkina Faso | GR | Greece | ML | Mali | TR | Turkey |
| BG | Bulgaria | HU | Hungary | MN | Mongolia | TT | Trinidad and Tobago |
| BJ | Benin | IE | Ireland | MR | Mauritania | UA | Ukraine |
| BR | Brazil | IL | Israel | MW | Malawi | UG | Uganda |
| BY | Belarus | IS | Iceland | MX | Mexico | US | United States of America |
| CA | Canada | IT | Italy | NE | Niger | UZ | Uzbekistan |
| CF | Central African Republic | JP | Japan | NL | Netherlands | VN | Viet Nam |
| CG | Congo | KE | Kenya | NO | Norway | YU | Yugoslavia |
| CH | Switzerland | KG | Kyrgyzstan | NZ | New Zealand | ZW | Zimbabwe |
| CI | Côte d'Ivoire | KP | Democratic People's Republic of Korea | PL | Poland | | |
| CM | Cameroon | KR | Republic of Korea | PT | Portugal | | |
| CN | China | KZ | Kazakhstan | RO | Romania | | |
| CU | Cuba | LC | Saint Lucia | RU | Russian Federation | | |
| CZ | Czech Republic | LI | Liechtenstein | SD | Sudan | | |
| DE | Germany | LK | Sri Lanka | SE | Sweden | | |
| DK | Denmark | LR | Liberia | SG | Singapore | | |
| EE | Estonia | | | | | | |

WHAT IS CLAIMED IS:

1 1. A method of identifying compounds which modulate cell
 2 proliferation, said method comprising treating at least one cell with at least one
 3 compound, isolating a plurality of mRNA transcripts from the cell by hybridizing under
 4 stringent conditions to at least one oligonucleotide complementary to a nucleic acid
 5 sequence which encodes a protein associated with cell proliferation, and comparing the
 6 plurality of mRNA transcripts from said cell to a plurality of mRNA transcripts from a
 7 genetically identical cell not treated with the compound and isolated by hybridization
 8 under stringent conditions to the oligonucleotide, whereby a difference in the number of
 9 mRNA transcripts from the treated and untreated cells hybridized to the oligonucleotides
 10 indicates a modulation of cell proliferation.

1 2. The method of claim 1, wherein the compounds are inhibitors of
 2 cyclin-dependent kinases.

1 3. The method of claim 2, wherein the inhibitors have the following
 2 structure:



3
 4 R¹, R², R³, R⁴ and R⁵ are independently members selected from the group
 5 consisting of H, C₁-C₈ straight-chain, branched-chain, saturated and unsaturated alkyl, C₁-
 6 C₈ straight-chain, branched-chain, saturated and unsaturated substituted alkyl, aryl and
 7 substituted aryl.

1 4. The method of claim 1, wherein the mRNA transcripts are cRNA.

1 5. The method of claim 1, further comprising isolating mRNA
 2 transcripts of treated and untreated cells which encode proteins associated with cell
 3 proliferation.


1 6. The method of claim 1, wherein the oligonucleotides are from 15 to
2 about 50 nucleotides in length.

1 7. The method of claim 1, wherein the oligonucleotides are linked to a
2 solid support in a high density array.

1 8. A method of determining the identity of proteins that modulate cell
2 proliferation during or after exposure to chemical or genetic challenges, said method
3 comprising isolating mRNA transcripts generated from cells after exposure to compounds
4 known to modulate cellular proliferation by hybridizing under stringent conditions to at
5 least one oligonucleotide complementary to a nucleic acid sequence which encodes a
6 protein associated with cell proliferation, isolating mRNA transcripts generated from cells
7 not exposed to said compounds by hybridizing to the oligonucleotides, comparing the
8 total number of mRNA transcripts from both treated and untreated cells, and determining
9 which proteins are encoded by mRNA transcripts present in differing amounts in treated
10 or untreated cells.

1 9. The method of claim 8, wherein the compounds are cyclin-
2 dependent kinase inhibitors.

1 10. The method of claim 9, wherein the inhibitors have the following
2 structure:




3

4 R¹, R², R³, R⁴ and R⁵ are independently members selected from the group
5 consisting of H, C₁-C₈ straight-chain, branched-chain, saturated and unsaturated alkyl, C₁-
6 C₈ straight-chain, branched-chain, saturated and unsaturated substituted alkyl, aryl and
7 substituted aryl.

1 11. The method of claim 8, wherein the mRNA transcripts are cRNA.

- 1 12. The method of claim 8, wherein oligonucleotides are about 15 to
2 about 50 nucleotides in length.
- 1 13. The method of claim 12, wherein the oligonucleotides are linked to
2 a solid support in a high density array.
- 1 14. A method of determining proteins associated with increased drug
2 resistance, said method comprising isolating mRNA transcripts generated from drug-
3 resistant cells after exposure to drugs known to inhibit cellular proliferation by
4 hybridizing under stringent conditions to at least one oligonucleotide complementary to a
5 nucleic acid sequence which encodes a protein associated with cell proliferation, isolating
6 mRNA transcripts generated from non-drug resistant cells exposed to said drugs by
7 hybridizing under stringent conditions to the oligonucleotides, comparing the total
8 number of mRNA transcripts from both drug-resistant and drug non-resistant cells, and
9 determining which proteins are encoded by mRNA transcripts present in increased
10 amounts in the drug-resistant cells.
- 1 15. The method of claim 14, wherein the compounds are cyclin-
2 dependent kinase inhibitors.
- 1 16. The method of claim 15, wherein the inhibitors have the following
2 structure:



- 3
- 4 $\text{R}^1, \text{R}^2, \text{R}^3, \text{R}^4$ and R^5 are independently members selected from the group
5 consisting of H, $\text{C}_1\text{-C}_8$ straight-chain, branched-chain, saturated and unsaturated alkyl, $\text{C}_1\text{-}$
6 C_8 straight-chain, branched-chain, saturated and unsaturated substituted alkyl, aryl and
7 substituted aryl.
- 1 17. The method of claim 14, wherein the mRNA transcripts are cRNA.

1 18. The method of claim 14, wherein the oligonucleotides are about 15
2 to about 50 nucleotides in length.

1 19. The method of claim 18, wherein the oligonucleotides are linked to
2 a solid support in a high density array.

INTERNATIONAL SEARCH REPORT

Intern. Appl. No.

PCT/US 98/27405

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C12Q1/68 A61K31/52 C12Q1/48 //C07D473/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C12Q A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-----------------------|
| Y | WO 97 27317 A (CHEE MARK ;LAI CHAOQIANG (US); LEE DANNY (US); AFFYMETRIX INC (US)) 31 July 1997 see claims 1,28-36 --- | 1-19 |
| Y | EP 0 534 640 A (PFIZER) 31 March 1993 see the whole document --- | 1-19 |
| Y | WO 97 16447 A (MITOTIX INC ;MANSURI MUZAMMIL M (US); MURTHI KRISHNA K (US); PAL K) 9 May 1997 see page 1 - page 3 --- | 1-19 |
| Y | WO 95 28169 A (UNIV CALIFORNIA) 26 October 1995 see page 1 - page 3 --- | 1-19 |
| | --- | |

-/--



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "A" document member of the same patent family

Date of the actual completion of the international search

14 April 1999

Date of mailing of the international search report

22/04/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Osborne, H

INTERNATIONAL SEARCH REPORT

Intern. Application No
PCT/US 98/27405

| C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT | | |
|--|--|-----------------------|
| Category | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
| Y | WO 97 42949 A (SQUIBB BRISTOL MYERS CO) 20 November 1997 see page 8 --- | 1-19 |
| Y | VESELY J ET AL: "INHIBITION OF CYCLIN-DEPENDENT KINASES BY PURINE ANALOGUES" EUROPEAN JOURNAL OF BIOCHEMISTRY, vol. 224, no. 2, 1 September 1994, pages 771-786, XP002009709 see the whole document --- | 1-19 |
| Y | HAVLICEK L ET AL: "Cytokinin-derived cyclin-dependent kinase inhibitors: synthesis and cdc2 inhibitory activity of olomoucine and related compounds" JOURNAL OF MEDICINAL CHEMISTRY, vol. 4, no. 40, 14 February 1997, page 408 408 XP002079219 see the whole document ----- | 1-19 |

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internat. Application No
PCT/US 98/27405

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|---|--|
| WO 9727317 A | 31-07-1997 | AU 2253397 A EP 0880598 A | 20-08-1997 02-12-1998 |
| EP 0534640 A | 31-03-1993 | AT 143700 T CA 2078703 A DE 69214243 D DE 69214243 T DK 534640 T ES 2092056 T FI 924242 A GR 3021721 T JP 2703156 B JP 5192199 A US 5643730 A | 15-10-1996 24-03-1993 07-11-1996 06-02-1997 17-03-1997 16-11-1996 24-03-1993 28-02-1997 26-01-1998 03-08-1993 01-07-1997 |
| WO 9716447 A | 09-05-1997 | US 5733920 A AU 1116497 A | 31-03-1998 22-05-1997 |
| WO 9528169 A | 26-10-1995 | AU 2385095 A EP 0756488 A JP 9511910 T | 10-11-1995 05-02-1997 02-12-1997 |
| WO 9742949 A | 20-11-1997 | AU 3059497 A | 05-12-1997 |

THIS PAGE BLANK (USPTO)